


EQUIPPED WITH BOBCAT INTERLOCK CONTROL SYSTEM (BICSTM)



Service Manual



MELROE INGERSOLL-RAND 6724493 (12–95) Revised (1–97)

Printed in U.S.A.





MAINTENANCE SAFETY




Instructions are necessary before operating or servicing machine. Read and understand the Operation & Maintenance Manual, Operator's Handbook and signs (decals) on machine. Follow warnings and instructions in the manuals when making repairs, adjustments or servicing. Check for correct function after adjustments, repairs or service. Untrained operators and failure to follow instructions can cause injury or death. W-2003-0903

Safety Alert Symbol: This symbol with a warning statement, means: "Warning, be alert! Your safety is involved!" Carefully read the message that follows.






Use the correct procedure to lift or lower operator cab.



Disconnecting or loosening any hydraulic tubeline, hose, fitting, component or a part failure can cause lift arms to drop. Do not go under lift arms when raised unless supported by an approved lift arm support device. Replace it if damaged.



- Keep body, jewelry and clothing away from moving parts, electrical contact, hot parts and exhaust.
- Wear eye protection to guard from battery acid, compressed springs, fluids under pressure and flying debris when engines are running or tools are used. Use eye protection approved for type of welding.
- Keep rear door closed except for service. Close and latch door before operating the loader.



water. For eye contact flush well

and get

attention.

immediate medical

Maintenance procedures which are given in the Operation & Maintenance Manual can be performed by the owner/ operator without any specific technical training. Maintenance procedures which are **not** in the Operation & Maintenance Manual must be performed **ONLY BY QUALIFIED BOBCAT SERVICE PERSONNEL.** Always use genuine Bobcat **replacement parts.** The Service Safety Training Course is available from your Bobcat dealer.



ALPHABETICAL INDEX

AIR CLEANER7-1AIR CLEANER SERVICE1-1ALTERNATOR6-1ALTERNATOR BELT1-1AXLE SEAL4-1AXLE, SPROCKET AND BEARINGS4-1
BATTERY
CHAINCASE COVERS4–1CHAINCASE FLUID4–1CONTROL PEDALS2–1CONTROL PANEL3–1CRANKSHAFT AND BEARINGS7–1CRANKSHAFT PULLEY7–1CYLINDER HEAD7–1CYLINDER LOCATION & COMPRESSION7–1
DECIMAL & MILLIMETER EQUIVALENTS
ELECTRICAL SYSTEM INFORMATION6-1ENGINE7-1ENGINE BLOCK7-1ENGINE COOLING SYSTEM1-1ENGINE LUBRICATION SYSTEM1-1ENGINE MUFFLER7-1ENGINE SPECIFICATIONS9-1ENGINE SPEED CONTROL7-1ENGINE TORQUE7-1
FAN GEARBOX1–1,7–1FINAL DRIVE TRANSMISSION (CHAINCASE)1–1FRONT LIGHTS6–1FUEL INJECTION PUMP7–1FUEL INJECTOR NOZZLE7–1FUEL SYSTEM1–1FUEL TANK5–1
GLOW PLUGS
HYDRAULIC CONTROL VALVE2–1HYDRAULIC CYLINDER IDENTIFICATION2–1HYDRAULIC CYLINDERS2–1HYDRAULIC FILTER HOUSING2–1HYDRAULIC FLUID RESERVOIR2–1HYDRAULIC/HYDROSTATIC5FLUID SPECIFICATIONS9–1HYDRAULIC PUMP2–1HYDRAULIC SYSTEM INFORMATION2–1HYDRAULIC/HYDROSTATIC SYSTEM1–1HYDRAULIC SYSTEM INFORMATION2–1HYDRAULIC/SYSTEM INFORMATION3–1HYDROSTATIC DRIVE MOTOR3–1
INJECTION PUMP TIMING
LIFT ARMS 51 LIFT ARM SUPPORT DEVICE 11 LIFT CYLINDER(S) 21 LIFT LOCK BY-PASS VALVE 81 LIFTING AND BLOCKING THE LOADER 11 LIFTING THE LOADER 11 LOADER SPECIFICATIONS 91 LUBRICATING THE LOADER 11 MOTOR CARRIER 41
MUTUR CARRIER 4-1

OIL COOLER
PARKING BRAKE4–1PARKING BRAKE DISC4–1PEDAL INTERLOCK LINKAGE2–1PEUGEOT ENGINE TOOL KIT7–1PISTONS AND CONNECTING RODS7–1
RADIATOR 7–1 REAR DOOR 5–1 REAR GRILL 5–1 RELAY SWITCHES 6–1 REMOTE START SWITCH 1–1
SEAT BAR5-1SEAT BAR RESTRAINT SYSTEM1-1SEAT BAR SENSOR8-1SEAT SENSOR8-1SEAT SENSOR8-1SERVICE SCHEDULE1-1SPARK ARRESTOR MUFFLER1-1SPARK ARRESTOR MUFFLER3-1STANDARD INSTRUMENT PANEL6-1STANDARD TORQUE SPECIFICATIONS9-1FOR BOLTS9-1STARTER6-1STOPPING THE BOBCAT LOADER1-1TILT CYLINDER2-1TILT LOCK VALVE8-1TIMING BELT7-1TORQUE SPECIFICATIONS FOR LOADER9-1TORQUE SPECIFICATIONS FOR LOADER9-1TRACTION LOCK8-1TRANSPORTING THE LOADER1-1TROUBLESHOOTING2-1, 3-16-1,7-1
U.S. TO METRIC CONVERSION



CONTENTS

FOREWORD SAFETY INSTRUCTIONS SERIAL NUMBER LOCATIONS DELIVERY REPORT 30BCAT LOADER IDENTIFICATION PREVENTIVE MAINTENANCE TYDRAULIC SYSTEM TYDROSTATIC SYSTEM DRIVE SYSTEM MAIN FRAME ELECTRICAL SYSTEM SIGINE SERVICE	v . vii . vii 1–1 2–1 3–1 4–1 5–1 6–1 7–1
ENGINE SERVICE	7–1 8–1



HYDRAULIC SYSTEM

HYDROSTATIC SYSTEM

DRIVE SYSTEM

CALIFORNIA PROPOSITION 65 WARNING

Diesel engine exhaust and some of its constituents are known to the State of California to cause cancer, birth defects and other reproductive harm.



ELECTRICAL SYSTEM

ENGINE SERVICE

SYSTEMS ANALYSIS

SPECIFICATION

FOREWORD

This manual is for the Bobcat loader mechanic. It provides necessary servicing and adjustment procedures for the Bobcat loader and its component parts and systems. Refer to the Operation & Maintenance Manual for operating instructions, starting procedure, daily checks, etc.

A general inspection of the following items must be made after the loader has had service or repair:

1. Check that the ROPS/FOPS (Including sidescreens) is in good condition and is not modified.



- 2. Check that ROPS mounting hardware is tightened and is Melroe approved.
- 3. The seat belt must be correctly installed, functional and in good condition.



4. The seat bar and pedal interlocks must be correctly adjusted, clean and lubricated.




- 5. Machine signs must be legible and in the correct location.
- WARNING
- 6. Steering levers and foot pedals must return to neutral.



- 7. Check for correct function of the work lights.
- 8. The parking brake must function correctly.




- 9. Enclosure door latches must open and close freely.
- 10. Bob–Tach wedges and must linkages function correctly and be in good condition.
- 11. Safety treads must in good condition.



- 12. Check for correct function of indicator lamps (Optional on some models).
- 13. Check hydraulic fluid level, engine oil level and fuel supply.
- 14. Inspect for fuel, oil or hydraulic fluid leaks.
- 15. Lubricate the loader.

battery and cables.






653 BICS Loader Service Manual


- 17. Inspect the air cleaner for damage or leaks. Check the condition of the element.
- 18. Check the electrical charging system.
- 19. Check tires for wear and pressure.
- 20. Inspect for loose or broken parts or connections.
- 21. Operate the loader and check all functions.
- 22. Check for any field modification not completed.


customer.

service.

653 BICS Loader Service Manual











SAFETY INSTRUCTIONS

WARNING

Instructions are necessary before operating or servicing machine. Read and understand the Operation & Maintenance Manual, Handbook and signs (decals) on machine. Follow warnings and instructions in the manuals when making repairs, adjustments or servicing. Check for correct function after adjustments, repairs or service. Untrained operators and failure to follow instructions can cause injury or death.

W-2003-0199

The following publications provide information on the safe use and maintenance of the loader and attachments:

- The Delivery Report is used to assure that complete instructions have been given to the new owner and that the machine is in safe operating condition.
- The Operation & Maintenance Manual delivered with the loader gives operating information as well as routine maintenance and service procedures. It is a part of the loader and must stay with the machine when it is sold. Replacement Operation & Maintenance Manuals can be ordered from your Bobcat loader dealer.
- The loader has machine signs (decals) which instruct on the safe operation and care. The signs and their locations are shown in the Operation & Maintenance Manual. Replacement signs are available from your Bobcat loader dealer.
- The loader has a plastic Operator's Handbook fastened to the operator cab. Its brief instructions are convenient to the operator. The Handbook is available from your dealer in an English edition or a combination English, French, German, Italian, Dutch, Spanish, Portuguese, Danish, Swedish & Finnish.
- The EMI Safety Manual (available in Spanish) delivered with the loader gives general safety information.
- The Service Manual and Parts Manual are available from your dealer for use by mechanics to do shop-type service and repair work.
- The Skid–Steer Loader Operator Training Course is available through your local dealer. This course is intended to provide rules and practices for correct operation of the Bobcat loader. The course is available in English and Spanish versions.
- The Bobcat Skid–Steer Loader Safety Video is available from your Bobcat Dealer.

SAFETY INSTRUCTIONS (Cont'd)



Safety Alert Symbol: This symbol with a warning statement, means: "Warning, be alert! Your safety is involved!" Carefully read the message that follows.

- Wear tight fitting clothing. Always wear safety glasses when maintaining or servicing loader. Safety glasses, hearing protection or loader special applications kit are required for some work. See your dealer for Bobcat Safety equipment.
- Know where fire extinguisher and first aid kits are located and how to use them.
- Do not use the Bobcat loader where exhaust, arcs, sparks or hot components can contact flammable material, explosive dust or gases.
- The engine compartment and engine cooling system must be inspected every day and cleaned if necessary to prevent fire hazard and overheating.
- Check all electrical wiring and connections for damage. Keep the battery terminals clean and tight. Repair or replace any damaged part.
- Check fuel and hydraulic tubes, hoses and fittings for damage and leakage. Never use open flame or bare skin to check
 for leaks. Tighten or replace any parts that show leakage. Always clean fluid spills. Do not use gasoline or diesel fuel for
 cleaning parts. Use commercial nonflammable solvents.
- Follow any environmental safety regulations when disposing of used fluids such as engine oil, grease or anti-freeze.
- Do not use ether or starting fluids on this engine. It has glow plugs. These starting aids can cause explosion and injure you or bystanders.
- Always clean the loader and disconnect the battery before doing any welding. Cover rubber hoses, battery and all other flammable parts. Keep a fire extinguisher near the loader when welding. Have good ventilation when grinding or welding painted parts. Wear dust mask when grinding painted parts. Toxic dust or gas can be produced.
- Stop the engine and let it cool before adding fuel. No smoking!
- Use the procedure in the Operation & Maintenance or Service Manuals for connecting the battery.
- Use the procedure in the Operation & Maintenance or Service Manuals for cleaning the spark arrestor muffler.

A fire extinguisher is available from your local dealer. The fire extinguisher can be installed in the location shown [A].



653 BICS Loader Service Manual


SERIAL NUMBER LOCATIONS

Always use the serial number of the loader when requesting service information or when ordering parts. Early or later models (identification made by serial number) may use different parts, or it may be necessary to use a different procedure in doing a specific service operation.

LOADER SERIAL NUMBER

The loader serial number plate is located on the inside of the left upright, above the grill **[A]**.

Explanation of loader Serial Number:





The four digit Model/Engine Combination module number identifies the model number and engine combination.

The five digit Production Sequence Number identifies the order which the loader is produced.

ENGINE SERIAL NUMBER


The serieal number (Item 1) **[B]** is located on the engine block between engine oil fill and the injection pump.






DELIVERY REPORT

The Delivery Report must be filled out by the dealer and signed by the owner or operator when the Bobcat loader is delivered. The form contents must be explained to the owner. Make sure it is filled out completely **[C]**.



BOBCAT LOADER IDENTIFICATION



* TIRES – Flotation tires (optional) are shown. The Bobcat loader is factory equipped with standard tires. + BUCKET – Several different buckets and other attachments are available for the Bobcat loader.

ROPS, FOPS – Roll Over Protective Structure, Falling Object Protective Structure, per SAE J1040 and ISO 3471, and Falling Object Protective Structure per SAE J1043 and ISO 3449, Level I. Level II is available. The Bobcat loader is base–equipped with a standard operator cab as shown. Extra insulated cab is available as an option (Reduced noise level).

PREVENTIVE MAINTENANCE

PREVENTIVE MAINTENANCE

Page Number

AIR CLEANER SERVICE Replacing Filter Element 1–1:	5
ALTERNATOR BELT Adjusting the Alternator Belt 1–2 Bob Tach 1–2	22
DRIVE BELT Adjusting the Drive Belt Equipped with the Fixed Drive Idler 1–29 Adjusting the Drive Belt Equipped with the Spring Loaded Drive Idler	
ENGINE COOLING SYSTEM 1-20 Cleaning the Cooling System 1-20 Checking the Coolant Level 1-20 Removing Coolant From the Cooling System 1-20	0 0 1
ENGINE LUBRICATION SYSTEM Checking Engine Oil	8 8
FAN GEARBOX Checking and Maintaining 1–22	2
FINAL DRIVE TRANSMISSION (CHAINCASE) Checking and Adding Oil	8 8
FUEL SYSTEM1–16Filling the Fuel Tank1–16Fuel Filter1–16Fuel Specifications1–16Removing Air From the Fuel System1–17	6
HYDRAULIC/HYDROSTATIC SYSTEM 1–23 Checking and Adding Fluid 1–23 Replacing Hydraulic/Hydrostatic Filter 1–23 Hydraulic Reservoir Breather Cap 1–23 Replacing Hydraulic Fluid 1–24 Replacing Hydraulic Fluid 1–24	3
LIFT ARM SUPPORT DEVICE Disengaging the Lift Arm Support Device	
LIFTING AND BLOCKING THE LOADER Procedure	
LIFTING THE LOADER Four Point Lift	
LUBRICATING THE LOADER Procedure	4

PREVENTIVE MAINTENANCE (Cont'd)

Page Number

OPERATOR CAB Description Lowering the Operator Cab Raising the Operator Cab (Hand Controls) Lowering the Operator Cab (Hand Controls) Raising the Operator Cab (Hand Controls) Emergency Exit Pivot Pins	1–9 1–8 1–11 1–10 1–12
REMOTE START SWITCH Procedure	1–36
SEAT BAR RESTRAINT SYSTEM Description (Foot Controls) Seat Bar Inspection (Foot Controls) Seat Bar Maintenance (Foot Controls) Description (Hand Controls) Seat Bar Inspection (Hand Controls) Seat Bar Maintenance (Hand Controls)	1–13 1–14 1–14
SERVICE SCHEDULE Chart	1–3
SPARK ARRESTOR MUFFLER Cleaning Procedure	1–26
STOPPING THE BOBCAT LOADER	1–5
TIRE MAINTENANCE Tire mounting Tire Rotation Wheel Nuts	1-27
TOWING THE LOADER Procedure	1–5
TRANSPORTING THE LOADER Procedure	1–5

SERVICE SCHEDULE

Maintenance work must be done at regular intervals. Failure to do so will result in excessive wear and early failures. The service schedule is a guide for correct maintenance of the Bobcat loader.



Instructions are necessary before operating or servicing machine. Read Operation Maintenance Manual, Handbook and signs (decals) on machine. Follow warnings and instructions in the manual when making repairs, adjustments or servicing. Check for correct function after adjustments, repairs or service. Failure to follow instructions can cause injury or death.

W-2003-1289

SERVICE SCHEDULE		HOURS				
ITEM	SERVICE REQUIRED	810	50	100	250	1000
Engine Oil	Check the oil level and add oil as needed.	a da ang				
Air Cleaner	Check condition indicator or display panel. Service only when required.					
Engine Cooling System	Clean debris from oil cooler, radiator & grill. Check coolant level cold in recovery tank. Fill with recommended coolant as needed.	2011 - 11 2011 - 11				
Lift Arms, Cyl., Bob-Tach Pivot Pins and Wedges	Lubricate with multi-purpose lithium based grease (13 places).	n San San San San San San San San San				
Engine Air System	Check for damaged components.	ante de la			r	
Tires	Check for damaged tires and correct air pressure.				Γ	
Seat Belt, Seat Bar & Pedal Interlocks	Check the condition of seat belt. Check the seat bar & pedal interlocks for correct operation. Clean dirt and debris from moving parts.					
Bobcat Interlock Control System (BICS™)	Check BICS functions. Clean dirt, debris or objects from under or behind seat as required.					
Safety Signs and Safety Tread	Check for damaged signs (decals) and safety tread. Replace any signs or safety treads that are damaged or worn.					
Operator Cab	Check the fastening bolts, washers & nuts. Check the condition of cab.	- the second			1	
Fuel Filter	Remove the trapped water.				1	
Hyd. Fluid, Hoses & Tubelines	Check fluid level & add as needed. Check for damage & leaks. Repair & replace as needed.					
Final Drive Trans. (Chaincase)	Check oil level.					
Battery	Check cables, connections & electrolyte level. Add distilled water as needed.					
Control Pedals & Steering	Check for correct operation. Repair or adjust as needed.		C			
Wheel Nuts	Check for loose wheel nuts & tighten to 105–115 ft.–lbs. (142–156 Nm) torque.		1 202 2 2 2 2 2 2 2 2 2 1 2			
Parking Brake	Check operations & adjust as needed.					
Alternator Belt	Check tension & adjust as needed.					
Engine Oil & Filter	Replace oil & filter.			ф. «С	Į	
Spark Arrestor Muffler	* Clean the spark chamber.				Sec. 1	
Engine/Hydro. Drive Belt	Check for wear or damage. Adjust as needed.				a Keel	
Fuel Filter	Replace filter element.					
Steering Shaft	Grease two fittings.					
Hyd./Hydro. Filter	Replace the filter element.				ar (1995)	
Hyd. Reservoir Breather Cap	Replace the reservoir breather cap.					
Fan Drive Gearbox	Check gear lube level.					
Final Drive Trans.	Replace the oil in the chaincase.					÷.
Hyd. Reservoir	Replace the fluid.					(and a
Hydraulic Motors	Replace the case drain filters (2).					
Bobcat Interlock Control System (BICS™)	Check lift arm by-pass control.					n an Taona

Check wheel nut torque every 8 hours for the first 24 hours.
 Also replace hydraulic/hydrostatic filter element when the transmission warning light comes ON.

Or every 12 months.

Inspect the new belt after first 50 hours.

Dear

Thanks very much for your visiting and patience.

Want to get more information,

Please click here, Go back to the page.

After your payment, you will have instant access to your download.

The Download Link will also be sent to your e-mail.

You will get the complete manual

Have any questions please write to me

admin@servicemanualperfect.com